

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	245	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5 map\$5 portion handl\$3) near9 (mapping transcod\$5 transform\$5 layout lay-out dtd stylesheet template schema display (data near3 model))) and xml and ((prefer\$5 primary default assign\$3 designat\$3 rank\$3) near9 (layout lay-out template schema dtd stylesheet (data near3 model))) and (specif\$5 near9 device) not l2	US-PGPUB; USPAT	OR	ON	2007/06/04 11:11
L1	245	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5) near9 (mapping transcod\$5 transform\$5 layout lay-out template schema display (data near3 model))) and xml and ((prefer\$5 primary default assign\$3 designat\$3) near9 (template schema (data near3 model))) and (specif\$5 near9 device)	US-PGPUB; USPAT	OR	ON	2007/06/04 09:35
L2	67	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5) near9 (mapping transcod\$5 transform\$5 layout lay-out template schema display (data near3 model))) and xml and ((prefer\$5 primary default assign\$3 designat\$3) near9 (template schema (data near3 model))) and (specif\$5 near9 device) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/06/04 09:57
L3	0	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5) near9 (mapping transcod\$5 transform\$5 layout lay-out template schema display (data near3 model))) and xml and ((prefer\$5 primary default assign\$3 designat\$3 rank) near9 (template schema (data near3 model))) and (specif\$5 near9 device) and "709".clas. not l2	US-PGPUB; USPAT	OR	ON	2007/06/04 09:57

EAST Search History

L4	0	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5 map\$5 portion handl\$3) near9 (mapping transcod\$5 transform\$5 layout lay-out template schema display (data near3 model))).clm. and xml and ((prefer\$5 primary default assign\$3 designat\$3) near9 (template schema (data near3 model))) and (specif\$5 near9 device) and (giannetti\$5. inv. hewlett\$5.as.)	US-PGPUB; USPAT	OR	ON	2007/06/04 11:07
L5	0	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5 map\$5 portion handl\$3) near9 (mapping transcod\$5 transform\$5 layout lay-out template schema display (data near3 model))) and xml and ((prefer\$5 primary default assign\$3 designat\$3) near9 (template schema (data near3 model))) and (specif\$5 near9 device) and (giannetti\$5. inv. hewlett\$5.as.)	US-PGPUB; USPAT	OR	ON	2007/06/04 11:09
L6	0	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5 map\$5 portion handl\$3) near9 (mapping transcod\$5 transform\$5 layout lay-out dtd stylesheet template schema display (data near3 model))) and xml and ((prefer\$5 primary default assign\$3 designat\$3) near9 (template schema (data near3 model))) and (specif\$5 near9 device) and (giannetti\$5.inv. hewlett\$5.as.)	US-PGPUB; USPAT	OR	ON	2007/06/04 11:09

EAST Search History

L7	0	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5 map\$5 portion handl\$3) near9 (mapping transcod\$5 transform\$5 layout lay-out dtd stylesheet template schema display (data near3 model))) and xml and ((prefer\$5 primary default assign\$3 designat\$3) near9 (layout lay-out template schema dtd stylesheet (data near3 model))) and (specif\$5 near9 device) and (giannetti\$5.inv. hewlett\$5.as.)	US-PGPUB; USPAT	OR	ON	2007/06/04 11:10
L8	352	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5 map\$5 portion handl\$3) near9 (mapping transcod\$5 transform\$5 layout lay-out dtd stylesheet template schema display (data near3 model))) and xml and ((prefer\$5 primary default assign\$3 designat\$3) near9 (layout lay-out template schema dtd stylesheet (data near3 model))) and (specif\$5 near9 device) not 12	US-PGPUB; USPAT	OR	ON	2007/06/04 11:10
S1	1158	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5) near3 (mapping transcod\$5 transform\$5 layout lay-out template schema)) and xml	US-PGPUB; USPAT	OR	ON	2007/06/04 11:03
S2	328	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5) near3 (mapping transcod\$5 transform\$5 layout lay-out template schema display)).clm. and xml	US-PGPUB; USPAT	OR	ON	2007/05/30 11:21
S3	25	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5) near3 (mapping transcod\$5 transform\$5 layout lay-out template schema display)) and xml and (URL near9 schema)	US-PGPUB; USPAT	OR	ON	2007/05/30 11:24

EAST Search History

S4	120	(@ad<"20020924" @rlad<"20020924") and ((adapt\$5 alternat\$5 conver\$5) near9 (mapping transcod\$5 transform\$5 layout lay-out template schema display (data near3 model))) and xml and (URL near9 (template schema (data near3 model))) and (specif\$5 near9 device)	US-PGPUB; USPAT	OR	ON	2007/06/04 11:04
S5	1	"6898618".pn. and ((device client) near9 (capab\$5))	US-PGPUB; USPAT	OR	ON	2007/05/31 09:56